


Technical drawing showing the dimensions and components of a window and door assembly. The drawing includes the following dimensions and labels:

- Vertical dimensions on the left: 2940 (from level B to the top of the door frame), 7190 (from level B to the top of the window frame), and 4250 (from level A to the top of the door frame).
- Horizontal dimensions at the bottom: 2360 (width of the door frame) and 1870 (width of the window frame).
- Labels:
  - Швеллер N16  $l_{\text{общ}} = 7390$  (Channel N16, total length = 7390)
  - Стальной профилированный лист Н57-750-0,8 (Steel profiled sheet H57-750-0,8)
- Reference points: A, Б (B), and 1, 2.

The floor plan shows a rectangular room with the following dimensions and features:

- Overall Dimensions:** The total width is 2420 units and the total depth is 7190 units.
- Room Dimensions:** The internal width is 1870 units and the internal depth is 4250 units.
- Structural Details:**
  - There are 350-unit wide structural margins on the top and bottom walls.
  - The left wall has a 2940-unit high section and a 2.910-unit wide section.
  - The right wall has a 2.910-unit wide section.
- Room Numbering:** The room is labeled with a circled '1' in the center and a circled '2' at the bottom right.
- Orientation:** The room is oriented with its longer side (7190 units) running horizontally.

Марка, поз	Обозначение	Наименование	Кол.	Масса ед., кг	Приме- чание
		<u>Покрытие</u>			
	ГОСТ 8240-89	Швеллер N16 lобщ.=7390	1	104.94	
	ГОСТ 24045-94	Лист Н57-750-0,8, м.кв	23.7	9.80	232.26кг



1. За условную отметку 0.000 принят уровень чистого пола 1-го этажа (сущ.).
2. Балку(швеллер №16) крепить к стойкам сварными швами(см.л.АС-12).
3. Балку(швеллер №16) крепить к кирпичной стене по оси А при помощи 2-х анкер-шпилек Hilti.
4. Стальной профлист крепить к кирпичной стене при помощи пластиковых дюбелей и саморезов(через гофр).
5. Стальной профлист крепить к швеллеру при помощи саморезов(через гофр).
6. Стальной профлист укладывать с нахлестом в 1 гофр.
7. Состав кровли см. на л.АС-11.
8. Стальную балку(швеллер №16) после монтажа оштукатурить по сетке.

						019 <sub>n</sub> /12–АС				
Изм.	К.уч.	Лист	N док	Подпись	Дата					
								Стадия	Лист	Листов
Констр.	Рогов							РП	АС–13	
				2012		План покрытия, план кровли				