

















































### Общая спецификация по фонарям и светильникам














Fixture												Lamp												CG comments 18jun27	
No	Reference photo	Type	LocationD D100%	Manufac turer	Description	Locatio n	Dimensions	Finish color	Finish type	Material	Mountin g	Qty	Beam optic	CCT	CRI	Lumen s	WAT T	Voltag e	Fixture load	Control Gear	Acc ess orie	Note s	Вопросы/Questions		
1		CLP41	LD,0-105-13 (dif typ)	Robers	Decorative light pole	TMT	7000mm x3000mm	tbd	powder coated	Metal and glass	surface	1		2200	80	2500	40	220V	40.0	dimming		3		Do all the lights need to be with dimming? What does figure 3 mean in notes for all models?	<div>KEY NOTES</div> <div>1. LUMENS AND WATTAGE PER METER. 2. CONTRACTOR TO FURNISH AND INSTALL ALL PARTS AND PIECES TO MAKE A COMPLETE SYSTEM. 3. DECORATIVE FIXTURES TO BE FURTHER DEVELOPED BY ART DIRECTOR.</div> <div>Dimming as noted. Note column refers to the sheet Key Notes; see above.</div>
2		CLP42	LD,0-105-4 (dif typ)		Decorative light pole	TMT	6000mm x400mm	tbd	powder coated	Metal and glass	surface	1		2200	80	2000	35	220V	35.0	dimming		3	По всем светильникам просьба прислать диаметр низа, диаметр верха, толщину стенок	For all the units could you please advise top diameter, bottom diameter and material thickness	Dimensions given as design guidelines. Final dimesnions to be determined in CD phase by Art Director in coordination with Manufacturer.
3		CLP43	LD,0-105-4	Robers	Decorative light pole	TMT	5000mm x1100mm	tbd	powder coated	Metal and glass	surface	1		2200	80	2000	35	220V	35.0	dimming		3			
1		CCTMT1	LD,4-123-27 (dif typ)		Decorative surface mount	TMT	300mm x120mm	tbd	powder coated	aluminum and glass	surface	2	Frosted	2700	80	800	7	220V	14.0	dimming		3	просьба объяснить различия между типами и уточнить количество каждого типа	there are different typ on the location schemes, please kindly advise difference between types	Only one type found.
2		CPTMT1A	LD,4-123-13 (dif typ)		Decorative pendant	TMT	500mm x400mm	tbd	powder coated	metal	Suspende d	1	clear	2700	80	800	7	220V	7.0	dimming		3	просьба объяснить различия между типами и уточнить количество каждого типа	there are different typ on the location schemes, please kindly advise difference between types	CPTMT1A has larger dimensions than CPTMT1B
3		CPTMT1B	LD,4-123-8		Decorative pendant	TMT	300mm x220mm	tbd	powder coated	metal	Suspende d	1	clear	2700	80	800	7	220V	7.0	dimming		3			
4		CPTMT2	LD,4-129-7 LD,4-133-1	Robers	Decorative pendant	TMT	850mm x650mm	tbd	tbd	Metal and glass	Suspende d	5	frosted	2700	80	700	7	220V	35.0	dimming		3			
5		CPTMT3	LD,4-129-4 LD,4-133-9	Robers	Decorative pendant	TMT	175mm x130mm	tbd	tbd	Metal and glass	Suspende d	1	frosted	2700	80	700	7	220V	7.0	dimming		3			
6		CPTMT4	LD,4-133-16	Robers	Decorative pendant	TMT	300mm x520mm x 300mm	bronze	tbd	Metal and glass	Suspende d	3	clear	2700	80	300	3	220V	9.0	dimming		3			
7		CPTMT6	LD,4-125-4+3		Decorative pendant	TMT	600mm x400mm	tbd	tbd	Metal and glass	Suspende d	1	frosted	2700	80	2000	20	220V	20.0	dimming		3			
8		CPTMT7	LD,4-123-20		Decorative pendant	TMT	600mm x350mm	tbd	tbd	wood and glass	Suspende d	1	frosted	2700	80	1000	10	220V	10.0	dimming		3			

















																								
																								
																								
																					просьба прислать спецификации	please send specification	The light portion of the sign has been removed, see graphics package for sign specifics	
1		CLP44	LD,0-105-11 (dif typ)	Robers	Decorative light pole	CAR	4500mm x500mm	tbd	powder coated	Metal and glass	surface	1		3500	80	2000	35	220V	35.0	dimming	3			
2		CLP45	LD,0-105-4 (dif typ)	Robers	Double lantern decorative light pole	CAR	5500mm x1000mm	tbd	powder coated	Metal and glass	surface	2		3500	80	1500	30	220V	60.0	dimming	3			
3		CLP46	LD,0-105-7(dif typ)	Robers	Decorative light pole	CAR	5000mm x500mm	tbd	powder coated	Metal and glass	surface	1		3500	80	2000	35	220V	35.0	dimming	3			
1		CPCAR1	LD,4-128-3		Decorative pendant	CAR	1200mm x900mm	tbd	tbd	tbd	Suspende d	1		3000	80	3500	65	220V	65.0	dimming	3	по всем люстрам просьба сообщить общую длину люстр от потолка, также диаметр снизу, диаметр сверху	please advise total length from ceiling for all the chandeliers6 top diameter, bottom diameter	All suspension rods and cables to be adjustable to allow for exact hanging heights. Dimension from ceiling to bottom of fixture : 2500mm. Fixture Dia 1500 mm
2		CPCAR2	LD,4-128-9 LD,4-132-9		Decorative pendant	CAR	1000mm x383mm	iron	natural	iron and glass	Suspende d	8		3000	80	800	8	220V	64.0	dimming	3			
3		CPCAR3	LD,4-132-12	Robers	Decorative pendant	CAR	900mm x700mm	tbd	powder coated	metal	Suspende d	1		3000	80	—	200	220V	200.0	dimming	3	по всем люстрам просьба сообщить общую длину люстр от потолка	please advise total length from ceiling for all the chandeliers	All suspension rods and cables to be adjustable to allow for exact hanging heights. Dimension from ceiling to bottom of fixture : 1830mm
4		CPCAR4	LD,4-132-10	Robers	Decorative pendant	CAR	600mm x680mm	tbd	tbd	metal and wood	Suspende d	6	frosted	3000	80	300	4	220V	24.0	dimming	3			
5		CWCAR1	LD,4-232-6		Decorative wall sconce	CAR	300mm x350mm x 160mm	pewter	pewter	stainless steel and iron	wall	2	clear	3500	80	300	4	220V	8.0	dimming	3			
6		CWCAR31	LD,4-228-10	Robers	Decorative wall sconce	CAR	125mm x630mm x 125mm	iron	natural	iron and glass	wall	1	frosted	3500	90	800	8	220V	8.0	dimming	3			















7		CWCAR32	LD,4-228-15 LD,4-232-14	Robers	Decorative wall sconce	CAR	240mm x75mm	tbd	tbd	metal	wall	1		3500	80	800	10	220V	10.0	dimming		3			
1		CW31	LD.0-101-4		Decorative wall sconce with simulated flame effect	EV	500mm x800mm	tbd	tbd	tbd	wall											3	должны быть 1 или 2 факела	please advise whether 1 or 2 torches should be there?	Should be 2 torches. The drawing of 1 torch is for more detail of each torch.
2		CLP11	LD.0-101-13	Robers	Decorative light pole	EV	3850mmx400mm	iron nature	natural	iron and glass	surface	1	Frosted	3000	80	2500	20	220V	22.0	dimming		3			
3		CLP12	LD.0-101-3	Robers	Triple lantern decorative light pole	EV	4500mmx1400m m	tbd	tbd	Metal and glass	surface	3		3000	80	1500	15	220V	45.0	dimming		3			
1		CBEV1	ld.1-223-6		Decorative table lamp	EV	630mm x450mm	tbd	tbd	metal and fabric	surface	1	frosted	2700	80	450	5	220V	5.0	dimming		3			
2		CBEV2	ld.1-223-2 ld.1-225-4 ld.1-227-7		Decorative table lamp	EV	630mm x450mm	tbd	tbd	glass, metal and fabric	surface	1	frosted	2700	80	450	5	220V	5.0	dimming		3			
3		CBEV3	ld.1-225-4		Decorative table lamp	EV	550mm x460mm	tbd	tbd	cast composite	surface	1	frosted	2700	80	800	7	220V	7.0	dimming		3			
4		CBEV31	LD.0-101-14	Robers	Decorative post mount	EV	540mm x280mm	old copper	vintage	Metal and glass	surface	1	frosted	2700	80	800	7	220V	7.0	dimming		3			
5		CPEV2	ld.1-123-5		Decorative pendant	EV	500mm x200mm	tbd	tbd	metal	Suspende d	2	frosted	2700	80	700	8	220V	16.0	dimming		3			
6		CPEV3	ld.1-126-8 (CCEV3)	Robers	Decorative pendant	EV	740mm x365mm	tbd	tbd	steel and acrylic	Suspende d	1	frosted	2700	80	1500	20	220V	20.0	dimming		3	на схемах есть артикул CCEV3, просьба уточнить это ли фото и спецификации имеются в виду	there is CCEV3 in the location plans and spec sheet - is reference photo correct and CCEV3 and CPEV3 are the same and the ref pic and specs are correct?	CCEV3 and CPEV3 are not the same fixture. CCEV3 has been added to the Schedule and Cutsheets.
		CPEV9	ld.1-126-1 (party room)																				на схеме в Party room стр. ld.1-126 арт.CCEV9, но не указаны его хар-ки и фото	1 lamp CCEV9 is shown on page ld.1- 126 in party room , but there is no reference photo and specifications for this item	CPEV9 has been replaced in the drawing with CPPLD1.
7		CPEV4	ld.1-124-4		Decorative pendant	EV	800mm x50mm x 1880mm	tbd	tbd	aluminum	Suspende d	1		3000	80	2500	35	220V	35.0	dimming		3	просьба уточнить диаметр 188см или 80 см	please kindly reconfirm is diameter is 80 or 188sm?	Diameter is 800mm. Overall height has been updated to 1200 on Fixture Schedule.
8		CPEV5	ld.1-123-2																				просьба прислать хар-ки	please kindly send us specifications	

9		CPEV7	Id.1-125-38		Decorative pendant	EV	320mm x270mm	tbd	tbd	metal	suspended	1	clear	2700	80	800	7	220V	7.0	dimming		3	просьба уточнить диаметр 32см, а длина подвеса 27см? На фото светильники висят на разной высоте?	please kindly reconfirm if diameter is 32sm and the rod length is 27sm. These lamps are suspended on different height on the ref pic?	 <b>Dimensions refer to fixture only, cord not included. Dimensions vary from ceiling to bottom of fixtures700mm -1000mm-1200mm.</b>
10		CPEV31	Id.1-124 -2	Robers	Decorative pendant	EV	450mm x475mm	iron	natural	metal and glass	suspended	4	clear	2700	80	350	4	220V	16.0	dimming		3			
11		CPEV32	Id.1-124 -5	Robers	Decorative pendant	EV	300mm x600mm	iron	natural	metal and glass	suspended	3	clear	2700	80	350	4	220V	12.0	dimming		3			
12		CWEV5	LD.1-227-5		wall sconce	EV	170mm x300mm x 100mm	black and brass	powder coated	metal	wall	1	clear	2700	80	600	6	220V	6.0	dimming		3			
13		CWEV6	Id.1-223 -4 Id.1-225 -3		wall sconce	EV	300mm x85mm	tbd	tbd	aluminum	wall	1		2700	80	800	8	220V	8.0	dimming		3	на фото 2 лампы, в хар-ках 2 лампы, просьба уточнить	please advise if it should have 1 or 2 lamps	<b>2 Lamps. Fixture schedule has been updated.</b>
14		CWEV31	Id.1-223 -2 Id.1-225 -2	Robers	wall sconce	EV	270mm x480mm	old bronze	vintage	metal and glass	wall	1	clear	2700	80	600	6	220V	6.0	dimming		3			
15		CWEV32	Id.1-223 -2 Id.1-225 -2	Robers	wall sconce	EV	550mm x360mm	old bronze	vintage	metal and glass	wall	1	clear	2700	80	600	6	220V	6.0	dimming		3			
16		CWEV33	LD.1-223-2	Robers	wall sconce	EV	580mm x260mm	old bronze	vintage	metal and glass	wall	1	clear	2700	80	600	6	220V	6.0	dimming		3			
17		CWEV34	LD.1-223-3 LD.1-225-7 LD.1-227-2	Robers	wall sconce	EV	960mm x360mm x 560mm	iron nature	vintage	metal and glass	wall	1	clear	2700	80	800	8	220V	8.0	dimming		3	просьба подтвердить габариты	please kindly reconfirm size	<b>Confirmed. 960mm is the overall height including lantern and arm, 360mm is the lantern width and 560mm is the fixture depth, including arm.</b>
18		CWEV35	LD.1-224-2. LD.1-226-2	Robers	wall sconce	EV	300mm x500mm	tbd	tbd	metal and glass	wall	1	clear	2700	80	320	4	220V	4.0	dimming		3			
19		CWEV36	LD.1-231-2	Robers	wall sconce	EV	720mm x170mm	old copper	vintage	metal and glass	wall	2		2700	80	2000	18	220V	36.0	dimming		3			
20		CWEV37	LD.1-231-2	Robers	wall sconce	EV	750mm x410mm	iron nature	vintage	metal and glass	wall	1	clear	2700	80	800	8	220V	8.0	dimming		3			








21		CWEV38		Robers	wall sconce	EV	размер 450x1200		vintage												есть характеристики Swew38, но он не указан на схемах и нет его фото	there are specifications of Swew38, but it is not shown on the schemes and there is no its reference photo	See for information regarding CWEV38.	
21		CWEV38	ld.1-225-2 ld.1-226-2	Robers	wall sconce	EV															просьба прислать харак-ки	please kindly advise specifications	CWEV38 was incorrectly referred to as CWEV38 in the Fixture Schedule. This has been corrected.	
1		CLP31	ld.0-104-19 (typ2)	Robers	Decorative light pole	HOT	1980mm x 260mm	TBD	TBD	Metal and glass	surface	1	Clear	2700	80	800	8	220V	8.0	dimming		3		
2		CLP32	ld.0-104-2	Robers	Decorative light pole	HOT	2500mm x 200mm	Amber Glass	TBD	Metal and glass	surface	1	Frosted	2700	80	800	7	220V	7.0	dimming	3	верное ли референс фото, это должен быть фонарный столб	Is reference photo correct as it is a light pole	Fixture is attached to a wooden pole. Cutsheet image was updated in Revision 1.
3		CW41	ld.0-104-1	Robers	Decorative wall sconce	HOT	200mm x380mm x280mm	tbd	tbd	Metal and glass	wall	1	clear	2700	80	600	6	220V	6.0	dimming		3		
1		CCHOT3	LD,3-130-4 LD,3-132-3	Robers	Decorative surface mount	HOT	350mm x100mm	tbd	tbd	metal and glass	surface	2	frosted	2700	80	500	5	220V	10.0	dimming		3		
2		CPHOT1	LD,3-130-3 LD,3-232-4	Robers	Decorative pendant	HOT	1050mm x730mm	steel	aged	steel and rope	Suspende d	8	clear	2700	80	400	4	220V	32.0	dimming		3		
3		CPHOT2	LD,3-130-1		Decorative pendant	HOT	1090mm x1370mm	tbd	tbd	wood and metal	Suspende d	8	clear	2700	80	320	4.5	220V	36.0	dimming		3		
4		CPHOT8	LD,3-128-3	Robers	Decorative pendant	HOT	1000mm x1020mm	iron nature	natural	wood and metal	Suspende d	21	frosted	2700	80	450	6	220V	126.0	dimming		3		
5		CWHOT1	LD,3-228-2 LD,3-231-4	Robers	Decorative wall sconce	HOT	630mm x125mm x 130mm	tbd	tbd	iron and glass	wall	1	frosted	2700	80	800	7	220V	7.0	dimming		3		
6		CWHOT4	LD,3-230-11	Robers	Decorative wall sconce	HOT	270mm x270mm x 130mm	bronze	rustic	metal	wall	1	clear	2700	80	800	7	220V	7.0	dimming	3	просьба уточнить 1 или 2 лампы	please kindly advise whether there should be 1 or 2 lamps	2 lamps. Fixture Schedule updated.
7		CWHOT6	LD,3-228-9	Robers	Decorative wall sconce	HOT	100mm x1300mm x 220mm	iron nature	natural	iron and glass	wall	1	frosted	2700	80	800	7	220V	7.0	dimming		3		
8		CWHOT32	LD,3-230-5 LD,3-231-6	Robers	Decorative wall sconce	HOT	210mm x950mm x 300mm	patina and amber	natural	iron and glass	wall	1	frosted	2700	80	800	7	220V	7.0	dimming		3		
1		CB31	LD,0-103-4	Robers	Decorative post mount	LWD	210mm x385mm	iron	vintage	iron and glass	surface	1	frosted	2700	80	800	7	220V	7.0	dimming		3		

2		CL31	LD.0-103-4	Robers	Decorative lantern	LWD	300mmx 560 mmx 465mm	tbd	tbd	Metal and glass	wall	1	clear	2700	80	600	6	220V	6.0	dimming		3	верно ли фото, т.к. это настенный светильник	is reference photo correct as it a wall sconce?	These fixtures have been removed from the drawings and Fixture Schedule.
3		CLP33	LD.0-101-4 LD.0-103-22 (dif typ)	Robers	Decorative light pole	LWD	1580mm x 500mm	iron	Rusty	iron and glass	surface	1	Frosted	2700	80	800	7	220V	7.0	dimming		3			
4		CLP34	LD.0-103-4(dif typ)	Robers	Decorative light pole	LWD	1700mm x 750mm	iron	Rusty	iron and glass	surface	2	Frosted	2700	80	800	7	220V	14.0	dimming		3			
5		CW32	LD.0-103-4	Robers	Decorative wall sconce	LWD	300mm x560mm x465mm	tbd	tbd	Metal and glass	wall	1	clear	2700	80	600	6	220V	6.0	dimming		3			
1		CBLWD1- each different!!	ld.3-226-6 (typ)	Robers	Decorative table lamp	LWD	300mm x550mm x 300mm	tbd	tbd	Metal and glass	surface	1	frosted	2700	80	600	6	220V	6.0	dimming		3			Bartop lamp to have the same style monkey and umbrella, but the pose of the monkey to vary for added visual interest.
2		CCLWD1	LD.3-125-12 LD.3-126-2		Decorative surface mount	LWD	420mm x240mm	amber	etched	Metal and glass	surface	2	frosted	2700	80	800	9	220V	18.0	dimming		3			
3		CWLWD1	ld.3-225-7		Decorative wall sconce	LWD	610mm x76mm x 76mm	gold	powder coated	aluminum and acrylic	wall	1		2700	80	435	18	220V	18.0	dimming		3			
4		CWLWD31	ld.1-223-18 ld.3-223-6		Decorative wall sconce	LWD, EV	450mm x250mm	tbd	tbd	Metal	wall	1	frosted	2400	80	800	8	220V	8.0	dimming		3	Верно ли фото, т.к. в схеме и в спецификации есть CWLW31 (а не CWLWD31). Просьба уточнить, должны	There are specifications of CWLW31 (and not CWLWD31) Are they the same? Please kindly advise if they should be all in pairs as the reference photo?	This fixture was removed in Revision 1.
1		CPPLD1	ld.1-129-1		Decorative pendant	PLD	600mm x600mm x 635mm	white	powder coated	metal, crystal and fabric	Suspended	6	clear	3000	80	300	4	220V	24.0	dimming		3	white or pink fabric?	white or pink fabric?	Pink fabric. Cut sheet has been modified.
2		CPPLD2	ld.1-126-8 ld.1-129-6		Decorative pendant	PLD	430mm x430mm	white	powder coated	metal, crystal and fabric	Suspended	4	clear	3000	80	300	4	220V	16.0	dimming		3	white or pink fabric?	white or pink fabric?	Pink fabric. Cut sheet has been modified.
3		CPPLD3	ld.1-129-1	Robers	Decorative pendant	PLD	450mm x200mm	pink	powder coated	aluminum	Suspended	1	clear	3000	80	300	23	220V	23.0	dimming		3	просьба уточнить диаметр	please advise diameter	Fixture is 450mm in width and length, 200 in height.
4		CPPLD4	LD.1-129-1	Robers	Decorative pendant	PLD	480mm x255mm	bronze	natural	Metal and glass	Suspended	1	clear	3000	80	800	8	220V	8.0	dimming		3			
5		CPPLD6	LD.1-124-3(typ3)		Decorative pendant	PLD	150mm x350mm	pink	powder coated	aluminum	Suspended	1	clear	3000	80	800	8	220V	8.0	dimming		3	просьба уточнить диаметр	please advise diameter	Fixture is 350mm in width and length, 200 in height. Fixture schedule has been updated.
6		CPPLD7	LD.1-124- 2 LD.1-129- 1		Decorative pendant	PLD	500mm x350mm	pink	powder coated	aluminum	Suspended	1	clear	3000	80	800	8	220V	8.0	dimming		3			



7		CWPLD1	LD.1-226-5 LD.1-229-6		Decorative wall sconce	PLD	300mm x150mm	nickel	satin	aluminum and glass	wall	1	clear	3000	80	800	8	220V	8.0	dimming		3			
8		CWPLD2	LD.1-229-10 (typ 5)		Decorative wall sconce	PLD	385mm x575mm x 80mm	clear	clear	plexiglass	wall	1	clear with silver bowl	3000	80	400	5	220V	5.0	dimming		3			
9		CWPLD3	LD.1-226-10 LD.1-229-10 LD.1-229-5 (typ 5)		Decorative wall sconce	PLD	tbd	nickel	satin	aluminum and glass	wall	1		3000	80	1700	33	220V	33.0	dimming		3			
10		CWPLD4	LD.1-226-20 LD.1-229 (typ4) -18		Decorative wall sconce	PLD	300mm x300mm x 250mm	clear/pink	–	metal, crystal and fabric	wall	1	clear	3000	80	800	8	220V	8.0	dimming		3	должен быть с одним или 2-мя торшеррами	should it be with 1 or 2 lamps?	2 lamps, Fixture Schedule has been updated.
1		CP21	LD.0-102- 21(different typ)	Robers	Decorative pendant	SMS	350mm x300mm	RAL5009, amber glass	hammered	Metal and glass	surface	1	frosted	2700	80	1000	15	220V	15.0	dimming		3			
2		CLP21	LD.0-102-24 (different typ)	Robers	Single lantern decorative light pole	SMS	3000mm x 830mm	RAL5009, amber glass	semi gloss	Metal and glass	surface	1		2700	80	1500	20	220V	20.0	dimming		3			
3		CLP22	LD.0-102- 1(typ)	Robers	Double lantern decorative light pole	SMS	3000mm x 1400mm	RAL5009, amber glass	semi gloss	Metal and glass	surface	2		2700	80	1500	20	220V	20.0	dimming		3			
4		CP22	LD.0-102-31 pole (typ)		Decorative pendant	SMS																			
1		CBSMS1	LD.2-223-3		Decorative table lamp	SMS	500mm x250mm	tbd	tbd	Metal and glass	surface	1	frosted	2700	80	600	6	220V	6.0	dimming		3			
2		CCSMS1	LD.2-123-8		Decorative surface mount	SMS	350mm x100mm	blue and frosted	blue and frosted	Metal and glass	surface	2	frosted	2700	80	800	7	220V	14.0	dimming		3	dimming на все ли артикулы обязательно нужен dimming?	are there any items that do not necessarily need dimming?	The cost of dimming for LEDs is nominal and worth the added benefit of specific lighting control in themed spaces.
3		CPSMS1A	LD.2-123-1	Robers	Decorative pendant	SMS	3600mm x450mm	tbd	tbd	iron and glass	Suspende d	12	frosted	2700	80	600	6	220V	72.0	dimming		3			
4		CPSMS1B	LD.2-123-1	Robers	Decorative pendant	SMS	2100mm x450mm	tbd	tbd	iron and glass	Suspende d	6	frosted	2700	80	600	6	220V	36.0	dimming		3			
5		CWSMS1	LD.2-223-9	Robers	Decorative wall sconce	SMS	350mm x350mm	RAL5009, amber glass	hammered	metal and glass	wall	1	frosted	2700	80	800	7	220V	7.0	dimming		3			
6		CWSMS2	LD.2-223-4	Robers	Decorative wall sconce	SMS	200mm x450mm x 215 mm	iron	natural	iron	wall	1		2700	80	500	5	220V	5.0	dimming		3			



7		CWSMS3	LD.2-223-7	Robers	Decorative wall sconce	SMS	900mm x450mm x 150 mm	iron	natural	iron	wall	1		2700	80	400	5	220V	5.0	non-dimming		3			
1		CPSQC1	LD.2-120-4		Decorative pendant	SQC	1500mm x2000mm	tbd	tbd	crystal and metal	Suspended			4000	85	1500	20	220V		dimming		3	отсутствует информация по уличному освещению SQC	there is no information about outside lights of SQC	No pole fixtures required for castle area; castle exterior to be lit with up lights and from catwalk above.
2		CPSQC3	LD.2-120-4		Decorative pendant	SQC	875mm x300mm	chrome and crystal	polished	chrome and crystal	Suspended	28		4000	80	200	3	220V	84.0	dimming		3			
3		CPSQC5	LD.2-120-1		Decorative pendant	SQC	500mm x200mm	chrome and crystal	polished	chrome and crystal	Suspended	8		4000	80	200	3	220V	24.0	dimming		3			
4		CPSQC6	LD.2-120-2		Decorative pendant	SQC	60mm x860mm	chrome and crystal	polished	chrome and crystal	Suspended	10		4000	80	230	2	220V	20.0	dimming		3	просьба уточнить размер	please kindly reconfirm the size	Should be 600mm x 860mm. Fixture Schedule has been updated. Dimension from ceiling to bottom of fixture: 1600mm.
5		CWSQ31	LD.2-220-2 LD.2-221-9		Decorative wall sconce	SQC	250mm x530mm x 320mm	patina and stained glass	patina and stained glass	metal and glass	wall	1	Frosted	4000	80	800	7	220V	7.0	dimming		3			
6		CWSQC1	LD.2-221-11		Decorative wall sconce	SQC	175mm x300mm x 100mm	tbd	tbd	metal and crystal	wall	2	Frosted	4000	80	320	2	220V	4.0	dimming		3			