

Ведомость комплекта обмерных чертежей

Лист	Наименование	Примечание
1	Ведомость комплекта обмерных чертежей	
2	План этажа, план потолка, план инженерных систем	
3	3D-вид	
4	3D-вид с облаком	

Согласовано	

Взам. инв. №	
--------------	--

Подп. и дата	
--------------	--

Инв. № подл.	
--------------	--

Изм.	Кол.уч.	Лист	№ док.	Подп.	Дата	Санкт-Петербург, набережная Обводного канала, д.118АБ			
Выполнил		Колобчук			03.25				
Проверил		Егина			03.25	Офис.	Стадия	Лист	Листов
							04	1	4
							СКАНОЗАВР®		
						Ведомость комплекта обмерных чертежей			

This architectural floor plan shows a building layout with various rooms and corridors. The plan is oriented with North at the top. Key features include:

- Dimensions:** Numerous dimensions are provided for walls, rooms, and overall sections. For example, the total width is 2675 units, and the total depth is 1180 units. Room dimensions vary, such as 5290 x 1080 for the top-left room and 5250 x 2200 for the top-right room.
- Level Markers:** Elevation markers are placed throughout the plan, including +2.625, +2.640, +2.630, and +2.870, indicating different floor levels or heights.
- Structural Elements:** Walls are shown with hatching, and columns are indicated by small circles. A central corridor or service area is visible, measuring 4.705 units in width.
- Orientation:** A North arrow is located in the upper right quadrant of the plan.
- Grid Lines:** The plan is bounded by grid lines labeled 1 through 5 horizontally and A through B vertically.

The floor plan shows a building layout with a grid system. The grid lines are labeled with letters A through B and numbers 1 through 5. Dimensions are provided for many elements. Elevation markers are present along the bottom and left edges.

Key features include:

- Rooms of various sizes, some with furniture like desks and chairs.
- Corridors and service areas.
- Structural elements like walls, doors, and windows.
- Dimensions for rooms and corridors.
- Elevation markers: $+0.185$, $+0.825$, $+0.835$, $+0.180$, $+0.190$, $+0.835$, $+0.825$, $+2.910$, $+0.825$, $+0.840$, $+0.820$, $+0.195$, $+0.825$.

Ведомость дверей и проемов			
Марка	Примерная высота	Примерная ширина	Число
Д1	2040	830	1
Д2	2035	810	1
Д3	2045	805	1
Д4	2045	825	1
Д5	2015	810	2
Д6	2060	865	1

Примечания:

1. Обмеры чертежи выполнены по результатам лазерного сканирования. Дата сканирования - 18.03.25.
2. Система координат условная. Система высот условная. Уровень 0.000 принят по зоне общего пользования.
3. Аси показаны условно.
4. Внешний контур фасадов здания показан условно, сканирование фасадов не производилось.
5. Ширина оконных проемов показана по внутренней поверхности наружных стен. Контур проемов со стороны фасада показан условно.
6. Материал элементов принят условно.

						Санкт-Петербург, набережная Обводного канала, д.118АБ			
Изм.	Жалуч	Лист	№ док.	Подп.	Дата	Офис.	Старая	Лист	Листов
Выполнил	Проверил	Колобчук	Евгения		03.25 03.25		04	2	4
						План этажа, план потолка, план инженерных систем	СКАНОЗАВР®		

